

NEW TUBE RELEASES
 for use with
 TRC 10-1-68 DATA BOOK

TUBE	SECT	A	B	C	D	CATH	CONT	TEST
1BQ2		258	2	26	4	-	1469	0
3BS2								
(Key at 5)		4	5	15	4	-	17	0
	Cap goes to top of tube							
3KF8	Pen-1	4	5	21	2	1	-	278
"	Pen-2	4	5	21	2	-	-	237
4KF8	Pen-1	4	6	21	2	1	-	278
"	Pen-2	4	6	21	2	-	-	237
6AQ4		3	9	21	2	25	1256	●167
	●Ignore glow on 1							
6BE7		4	9	23	2	38	38	167
6CF8		4	9	26	2	3	27	169
6CJ6		4	9	20	2	3	16789	●2780
	●Ignore glow on 7							
6CM3		4	9	22	2	9	27	●27
	●Ignore glow on 2							
6CT3		4	9	23	2	9	26	
	●Ignore glow on 2							
6FR7	Tri-1	4	9	7	1	8	23	6
"	Tri-2	4	9	20	2	9	-	●123
	●Ignore glow on 2							
6HD7	Tri	4	9	21	2	13	13	89
"	Pen	4	9	22	2	-	-	267
6JQ6		4	9	22	2	9	78	●12378
"		4	9	32	2	-	-	6
	●Ignore glow on 7							
	May show short on 2							
6JR6		4	9	28	3	3	17	279
	Lever 1 must be thrown to the open position							
6KF8	Pen-1	4	9	21	2	1	-	278
"	Pen-2	4	9	21	2	-	-	237
6LD6		4	9	20	2	1	3689	●2687
	●Ignore glow on 6							
6LH6		2	9	32	2	6	134	50
6LQ6		4	9	23	2	3	1267	●126780
	●Ignore glow on 12							
	Cap goes to top of tube							
6LR6		4	9	22	2	5	16	●1680
(Key at 3)								
	●Ignore glow on 1							
	Cap goes to top of tube							
9KX6		4	11	20	2	1	39	278
10FR7	Tri-1	4	12	7	1	8	23	67
"	Tri-2	4	12	20	2	9	-	●123
	●Ignore glow on 2							

TUBE	SECT	A	B	C	D	CATH	CONT	TEST
10GV8	Tri	4	12	24	2	3	-	12
"	Pen	4	12	22	2	8	-	679
11LT8	Di-1	4	12	16	3	7	-	8
"	Di-2	4	12	16	3	7	-	6
"	Pen	4	12	19	2	1	-	239
	May show short on 1							
11R3		4	12	22	2	0	*	29
	*May show short on all pins							
12BT6	Tri	3	13	24	2	2	-	17
"	Di-1	3	13	26	3	-	-	5
"	Di-2	3	13	26	3	-	-	6
12DW4		4	13	4	1	9	27	2
	Lever 7 must be thrown to open position							
13FR7	Tri-1	4	13	7	1	8	23	67
"	Tri-2	4	13	20	2	9	-	●123
	●Ignore glow on 2							
15EW7	Tri-1	4	14	27	2	8	-	67
"	Tri-2	4	14	23	2	9	23	●123
	●Ignore glow on 2							
17BW3								
(Key at 0)		1	15	17	3	7	-	4
17CT3		4	15	23	2	9	26	●26
	●Ignore glow on 2							
17EW8	Tri-1	5	15	22	2	8	-	67
"	Tri-2	5	15	22	2	3	-	12
17JR6		4	15	28	3	3	17	279
	Lever 1 must be thrown to open position							
V6		4	15	20	2	3	17	279
	Lever 1 must be thrown to open position							
GB5#		4	16	22	2	38	123678	160
	#Must use magnoval adapter							
	Levers 2-7 must be thrown to open position							
	Cap goes to top of tube							
19JC6		4	16	22	2	13	13	278
22JR6		4	17	28	3	3	17	279
	Lever 1 must be thrown to the open position							
24BF11								
(Key at 0)	Pen-1	1	18	28	2	2	-	3567
(Key at 8)	Pen-2	7	18	23	2	4	-	356
24JZ8								
(Key at 8)	Pen	9	18	23	2	4	12	●1230
	●Ignore glow on 1							
(Key at 5)	Tri	6	18	26	2	3	-	27
24LQ6		4	18	23	2	3	1267	●126780
	●Ignore glow on 12. Cap goes to top of tube							
25CM3		4	18	23	2	9	27	●27
	●Ignore glow on 2							
30A5		3	19	21	2	1	25	●2567
	●Ignore glow on 2							
34CM3		4	19	23	2	9	27	●27
	●Ignore glow on 2							
34R3		4	19	22	2	0	29	●29
	●Ignore glow on 2							
35LR6								
Key at 3)		4	19	22	2	5	16	●1680
	●Ignore glow on 1. Cap goes to top of tube							

TUBE	SECT	A	B	C	D	CATH	CONT	TEST
53HK7								
(Key at 0)	Di	1	20	16	3	4	-	2
	Caution: Throw lever #5 to open position before inserting tube.							
(Key at 8)	Pen	7	20	16	2	3	-	46
5844	Tri-1	3	9	22	2	7	-	25
	Tri-2	3	9	22	2	-	-	16
6227		4	9	22	2	3	16	278
6939	Pen-1	9	9	22	2	2	-	368
	Pen-2	9	9	22	2	-	-	167
7360		4	9	24	2	1	-	2367
7643	Tri	4	9	24	2	8	-	19
	Pen	4	9	24	2	7	-	236

FOREIGN

E80L		4	9	22	2	3	16	278
EC91		3	9	21	2	25	1256	●167
	●Ignore glow on 1							
EL81		4	9	20	2	3	16789	●2780
	●Ignore glow on 7							
EL802		4	9	20	2	1	3689	●2687
	●Ignore glow on 6							
EQ80		4	9	23	2	38	38	167
HL-94		3	19	21	2	1	25	●2567
	●Ignore glow on 2							
LCL-80	Tri	4	6	25	2	3	-	12
	Pen	4	6	22	2	-	-	689
LCL-85	Tri	4	12	24	2	3	-	12
	Pen	4	12	22	2	8	-	679
LY-81		4	12	22	2	0	*	29

*May show short on all pins

CORRECTIONS

2BJ2	Caution - Levers 2-8 must be thrown to open position before inserting tube and must remain in open position throughout all tests including short test.							
		5	3	44	3	1469	1469	0
	May show short on 3-7							
6KN6								
(Key at 6)		5	9	20	2	8	49	●2490
	●Ignore glow on 4 - Cap goes to top of tube							
16AQ3		4	14	23	2	0	*	●9
	●Ignore glow on 9 - Levers 2378 must be thrown to open position. *Cont. test 1236789							
20AQ3		4	16	23	2	0	*	●9
	●Ignore glow on 9 - *Cont. test 1236789							
	Levers 2378 must be thrown to open position							
42KN6								
(Key at 6)		5	19	20	2	8	49	●2490
	●Ignore glow on 4 - Cap goes to top of tube							
PL-81		4	17	21	2	3	16789	280
	Lever 7 must be thrown to open position							